

2021 BHEHP Incentive Plan Quality Metrics:

Data Source:

BHN (Beaumont Health Network – A10), claims for calendar year 2021 extracted via HealthEC 3D analytics reporting module¹.

Selected Measures for the 2021 Program Year

- Breast cancer screening
- Cervical cancer screening
- Colorectal cancer screening
- Influenza vaccination rate
- Depressions Screening and Follow Up

Quality Gate and Benchmarks:

In 2021, to qualify for incentive payout in the 2021 program year, measure performance at the plan level must be at or above the 50th percentile based on the following NCQA percentile benchmarks²

BHN Quality Measures	2020 NCQA Benchmarks			
	≥90%tile	≥75%tile	≥50%tile	≥25%tile
Breast Cancer Screening	79%	76%	72%	69%
Cervical Cancer Screening	82%	78%	74%	70%
Colorectal Cancer Screening	74%	68%	62%	57%
Influenza Vaccination	62%	57%	52%	46%
Depression Screening & Follow-Up	90%	70%	50%	N/A

¹ Exception for Influenza Vaccination, will be calculated using claims and data from BH Electronic Medical Record for employee vaccinations

² The MSSP ACO percentile benchmarks will be used for Depression Screening and Follow up Plan

Metric Definitions and Specifications:

Breast Cancer Screening

Percentage of Women Ages 50 – 74 who had one or more mammograms between October 1 two years prior to measurement year through 12/31/2020 of measurement year. CPT codes: 77055-77063, 77065-77067

Exclusion: Bilateral mastectomy or 2 Unilateral mastectomies. MRI & Breast ultrasound not counted

Cervical Cancer Screening

Percentage of Women ages 21 - 64 who were screened for cervical cancer

- Women 21–64 years of age who had cervical cytology performed every 3 years.
- Women 30–64 years of age who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years.

Exclusion: Total Hysterectomy with Absence of Cervix

Colorectal Cancer Screening:

Percentage of adults 50 - 75 years of age who had appropriate screening for colorectal cancer

- FOBT during the measurement year.
- Flexible sigmoidoscopy during the measurement year or the four years prior to the measurement year.
- Colonoscopy during the measurement year or the nine years prior to the measurement year.
- CT colonography during the measurement year or the four years prior to the measurement year.
- FIT-DNA during the measurement year or the two years prior to the measurement year.

Seasonal Influenza Vaccination

Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization

Depression Screening and Follow up Plan:

Percentage of patients aged 12 years and older screened for depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen